

### FIGURE / ПРИМЕР

#### Opis techniczny

#### SPECIFICATIONS

**Typ filtra** (Filter type)  
filtr paliwa (fuel filter)

**Wymiary** (Dimensions)

A	90,5 mm
F	8 mm
G	8 mm
H	100 mm



#### Zamienniki CROSS-REFERENCES

#### Numer oryginalny

(Original number)

**MERCEDES-BENZ**

**A 651 090 31 52**

**MANN+HUMMEL**

**WK 820/16**

#### Zastosowania APPLICATIONS

#### **EVOBUS**

#### **Sprinter Mobility/City/Transfer/Travel (906)**

35, 45, 55, 65	OM 651 LA Euro 5 2.2 KM(HP)	9/10 →
With heating (without water plug)		
65, 77	OM 651 LA Euro 5 6.6 KM(HP)	9/10 →
With heating (without water plug)		

#### **MERCEDES-BENZ**

#### **SPRINTER II (906)**

210 CDI	OM651LA	95 KM(HP)	
With heating (without water suction connection)			
211 CDI	OM 651 LA	114 KM(HP)	6/16 →

With heating (without water plug)				
213 CDI	OM651LA	129 KM(HP)	5/09	→
With heating (without water suction connection)				
214 CDI	OM 651 LA	143 KM(HP)	6/16	→
With heating (without water plug)				
216 CDI	OM651LA	163 KM(HP)	5/09	→
With heating (without water suction connection)				
219 CDI V6	OM642LA	190 KM(HP)	5/09	→
With heating (without water suction connection)				
310 CDI	OM651LA	95 KM(HP)	5/09	→
With heating (without water suction connection)				
311 CDI	OM 651 LA	114 KM(HP)	6/16	→
With heating (without water plug)				
313 CDI	OM651LA	129 KM(HP)	5/09	→
With heating (without water suction connection)				
314 CDI	OM 651 LA	143 KM(HP)	6/16	→
With heating (without water plug)				
316 CDI	OM651LA	163 KM(HP)	5/09	→
With heating (without water suction connection)				
319 CDI V6	OM642LA	190 KM(HP)	5/09	→
With heating (without water suction connection)				
410 CDI	OM651LA	95 KM(HP)	5/09	→
With heating (without water suction connection)				
413 CDI	OM651LA	129 KM(HP)	5/09	→
With heating (without water suction connection)				
414 CDI	OM 651 LA	143 KM(HP)	6/16	→
With heating (without water plug)				
416 CDI	OM651LA	163 KM(HP)	5/09	→
With heating (without water suction connection)				
419 CDI V6	OM642LA	190 KM(HP)	5/09	→
With heating (without water suction connection)				
510 CDI	OM651LA	95 KM(HP)	5/09	→
With heating (without water suction connection)				
511 CDI	OM 651 LA	114 KM(HP)	6/16	→
With heating (without water plug)				
513 CDI	OM651LA	129 KM(HP)	5/09	→
With heating (without water suction connection)				
514 CDI	OM 651 LA	143 KM(HP)	6/16	→
With heating (without water plug)				
516 CDI	OM651LA	163 KM(HP)	5/09	→
With heating (without water suction connection)				
519 CDI V6	OM642LA	190 KM(HP)	5/09	→
With heating (without water suction connection)				
<b>V II (447)</b>				
V 200 CDI	OM 651.950	136 KM(HP)	4/14	→
V 220 CDI	OM 651.950	163 KM(HP)	4/14	→
V 250 CDI BlueTEC	OM 651.950	190 KM(HP)	4/14	→
<b>VIANO (639)</b>				
2.0 CDI	OM651LA	136 KM(HP)	9/10	→
With heating (without water suction connection)				

### MERCEDES-BENZ

2.2 CDI	OM651LA	163 KM(HP)	9/10 →
With heating (without water suction connection)			

### VITO II (639)

110 CDI	OM651LA	95 KM(HP)	9/10 →
With heating (without water suction connection)			

113 CDI	OM651LA	136 KM(HP)	9/10 →
With heating (without water suction connection)			

116 CDI	OM651LA	163 KM(HP)	9/10 →
With heating (without water suction connection)			

### VITO III (447)

114 CDI	OM 651.950	136 KM(HP)	9/14 →
---------	------------	------------	--------

116 CDI	OM 651.950	163 KM(HP)	9/14 →
---------	------------	------------	--------

119 CDI BlueTEC	OM 651.950	190 KM(HP)	9/14 →
-----------------	------------	------------	--------

### VDL BUS + COACH

#### VDL MidCity / MidEuro

516 CDI	Mercedes OM 65163	134KM(HP)	10/13 →
With heating (without water plug)			

519 CDI	Mercedes OM 64290	134KM(HP)	10/13 →
With heating (without water plug)			